



**LIGHTWEIGHT SUB-FLOORS
WITH POLYSTYRENE (EPS)**



**Automatic equipment for the mixing and
pumping of Screed and lightweight subfloors**




SERIES

EPS


FOR LIGHTWEIGHT SUB-FLOORS WITH POLYSTYRENE (EPS)



MSA	25.12 EPS PTO	30.8 EPS PTO	25.11 EPS R	35.15 EPS R	45.12 EPS R
EPS volume	25 m ³	30 m ³	25 m ³	35 m ³	45 m ³
Binder volume	12 m ³	8 m ³	11 m ³	15 m ³	12 m ³
Dosing mixer	400 lt	400 lt	400 lt	400 lt	400 lt
Pumping mixer	800 lt	800 lt	800 lt	800 lt	800 lt
Water tank	1000 lt	1000 lt	2000 lt	2000 lt	2000 lt
EPS production *1	Up to 15 m ³ /h	Up to 15 m ³ /h	Up to 15 m ³ /h	Up to 15 m ³ /h	Up to 15 m ³ /h
Foam concrete production (optional) *1	Up to 25 m ³ /h	Up to 25 m ³ /h	Up to 25 m ³ /h	Up to 25 m ³ /h	Up to 25 m ³ /h
Vehicle	4-axle truck	4-axle truck	2-axle trailer	3-axle trailer	3-axle trailer
Driving	Vehicle PTO	Vehicle PTO	Deutz TCD 3.6 L4 85 kW @ 2200 rpm	Deutz TCD 3.6 L4 85 kW @ 2200 rpm	Deutz TCD 3.6 L4 85 kW @ 2200 rpm
Tare *2	6,5 ton *3	6,5 ton *3	13 ton	15 ton	15ton



Lightweight subfloors
with EPS



Foam concrete
(optional)

On demand configurable as Plug-in Hybrid version
On demand configurable as Battery Full-Electric version

(*1) According to the material and formula used.

(*2) Tare, dimensions and weights vary according to the set-up.

(*3) Vehicle excluded.




Overmat **EPS-series** equipment are designed for the production of **lightweight subfloors with polystyrene (EPS)**.


They are fully **automatic** and thanks to their versatility they allow to produce mixtures with a lightweight inert material, which is stored in the dedicated compartments installed on board the machine.

Thanks to the **rear double mixing tank**, pumping takes place **continuously**, assuring high quality of the final product combined with an **elevated hourly productivity**.


Overmat EPS equipment can also produce foam concrete, thanks to an optional foam generator.




MSA 25.12 EPS PTO
/ **MSA 30.8 EPS PTO**



MSA 25.11 EPS R



MSA 35.15 EPS R



MSA 45.12 EPS R



Legal Headquarters

via Campardone, 7 Z.I.
31014 Colle Umberto (TV)
Italia

Operational Headquarters

Via Vittorio Veneto, 20
31014 Colle Umberto (TV)
Italia

Contact Us

+39 0438 434443

info@overmat-screed.com

Follow Us



@Overmat



@overmat_screed



@OVERMAT



@overmat_screed